

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 28.01.2014

Version number 1

Revision: 28.01.2014

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

**1.1 Product identifier**

**Trade name:** Contacta Professional

**Article number:** 396049090, 396089090

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

No further relevant information available.

**Application of the substance / the mixture** Adhesives

**1.3 Details of the supplier of the safety data sheet**

**Manufacturer/Supplier:**

Stanger Produktions- und Vertriebs GmbH & Co KG

Ferdinand-Porsche-Straße 2

D-32339 Espelkamp

**Further information obtainable from:**

Abteilung Produktsicherheit

info@stanger.de

**1.4 Emergency telephone number:**

+49-5743-9307-0

(Montag bis Freitag, 7:00 - 17:00 Uhr)

**SECTION 2: Hazards identification**

**2.1 Classification of the substance or mixture**

**Classification according to Regulation (EC) No 1272/2008**



GHS02 flame

Flam. Liq. 3 H226 Flammable liquid and vapour.



GHS07

STOT SE 3 H336 May cause drowsiness or dizziness.

**Classification according to Directive 67/548/EEC or Directive 1999/45/EC**

R10-67: Flammable. Vapours may cause drowsiness and dizziness.

**Information concerning particular hazards for human and environment:**

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

**Classification system:**

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

**2.2 Label elements**

**Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the CLP regulation.

GHS label elements

The product is classified and labelled according to the CLP regulation.

**Hazard pictograms**



GHS02



GHS07

**Signal word** Warning

**Hazard-determining components of labelling:**

n-Butylacetat

(Contd. on page 2)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 28.01.2014

Version number 1

Revision: 28.01.2014

**Trade name: Contacta Professional**

(Contd. of page 1)

**Hazard statements**

H226 Flammable liquid and vapour.

H336 May cause drowsiness or dizziness.

**Precautionary statements**

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P241 Use explosion-proof electrical/ventilating/lighting/equipment.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

**SECTION 3: Composition/information on ingredients****3.2 Chemical characterization: Mixtures****Description:** Mixture of substances listed below with nonhazardous additions.**Dangerous components:**

CAS: 123-86-4	n-butyl acetate	50-<99.999%
EINECS: 204-658-1	R10-66-67	
 Flam. Liq. 3, H226;  STOT SE 3, H336		

**Additional information:** For the wording of the listed risk phrases refer to section 16.**SECTION 4: First aid measures****4.1 Description of first aid measures****After inhalation:** Supply fresh air; consult doctor in case of complaints.**After skin contact:** Immediately wash with water and soap and rinse thoroughly.**After eye contact:** Rinse opened eye for several minutes under running water.**After swallowing:** Call for a doctor immediately, present msds**4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.**4.3 Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

**SECTION 5: Firefighting measures****5.1 Extinguishing media****Suitable extinguishing agents:** CO<sub>2</sub>, sand, extinguishing powder. Do not use water.**For safety reasons unsuitable extinguishing agents:** Water with full jet**5.2 Special hazards arising from the substance or mixture** No further relevant information available.**5.3 Advice for firefighters****Protective equipment:** Wear self-contained respiratory protective device.**Additional information** Contaminated extinguishing water according to official regulations.**SECTION 6: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures**

Wear protective equipment. Keep unprotected persons away.

**6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water.

(Contd. on page 3)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 28.01.2014

Version number 1

Revision: 28.01.2014

**Trade name: Contacta Professional**

(Contd. of page 2)

**6.3 Methods and material for containment and cleaning up:***Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).**Do not flush with water or aqueous cleansing agents**No special measures required.***6.4 Reference to other sections***See Section 7 for information on safe handling.**See Section 8 for information on personal protection equipment.**See Section 13 for disposal information.***SECTION 7: Handling and storage****7.1 Precautions for safe handling** *No special precautions are necessary if used correctly.***Information about fire - and explosion protection:***Keep ignition sources away - Do not smoke.**Protect against electrostatic charges.***7.2 Conditions for safe storage, including any incompatibilities****Storage:****Requirements to be met by storerooms and receptacles:** *No special requirements.***Information about storage in one common storage facility:** *Not required.***Further information about storage conditions:** *Keep container tightly sealed.***7.3 Specific end use(s)** *No further relevant information available.***SECTION 8: Exposure controls/personal protection****Additional information about design of technical facilities:** *No further data; see item 7.***8.1 Control parameters****Ingredients with limit values that require monitoring at the workplace:****123-86-4 n-butyl acetate**WEL Short-term value: 966 mg/m<sup>3</sup>, 200 ppmLong-term value: 724 mg/m<sup>3</sup>, 150 ppm**Additional information:** *The lists valid during the making were used as basis.***8.2 Exposure controls****Personal protective equipment:****General protective and hygienic measures:** *Wash hands before breaks and at the end of work.***Respiratory protection:** *Not required.***Protection of hands:***The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.**Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.**Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation***Material of gloves***The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.***Penetration time of glove material***The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.***Eye protection:** *Tightly sealed goggles*

GB

(Contd. on page 4)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 28.01.2014

Version number 1

Revision: 28.01.2014

Trade name: *Contacta Professional*

(Contd. of page 3)

### **SECTION 9: Physical and chemical properties**

#### **9.1 Information on basic physical and chemical properties**

##### **General Information**

##### **Appearance:**

<b>Form:</b>	<i>Fluid</i>
<b>Colour:</b>	<i>Colourless</i>
<b>Odour:</b>	<i>Characteristic</i>

##### **Change in condition**

**Boiling point/Boiling range:** *Undetermined.*

**Flash point:** *26 °C*

**Ignition temperature:** *370 °C*

**Danger of explosion:** *Product is not explosive. However, formation of explosive air/vapour mixtures are possible.*

##### **Explosion limits:**

<b>Lower:</b>	<i>1.1 Vol %</i>
<b>Upper:</b>	<i>8.0 Vol %</i>

**Vapour pressure at 20 °C:** *13 hPa*

**Density at 20 °C:** *0.9 g/cm<sup>3</sup>*

**Solubility in / Miscibility with water:** *Not miscible or difficult to mix.*

##### **Viscosity:**

**Kinematic at 20 °C:** *21 s (DIN 53211/4)*

### **SECTION 10: Stability and reactivity**

#### **10.1 Reactivity**

#### **10.2 Chemical stability**

**Thermal decomposition / conditions to be avoided:** *No decomposition if used according to specifications.*

**10.3 Possibility of hazardous reactions** *No dangerous reactions known.*

**10.6 Hazardous decomposition products:** *No dangerous decomposition products known.*

### **SECTION 11: Toxicological information**

#### **11.1 Information on toxicological effects**

##### **Acute toxicity:**

##### **Primary irritant effect:**

**on the skin:** *No irritant effect.*

**on the eye:** *No irritating effect.*

**Sensitization:** *No sensitizing effects known.*

**Experience with humans:** *no toxicological tests carried out with the preparation*

### **SECTION 12: Ecological information**

#### **12.1 Toxicity**

**Aquatic toxicity:** *No further relevant information available.*

**12.2 Persistence and degradability** *No further relevant information available.*

**12.3 Bioaccumulative potential** *No further relevant information available.*

**12.4 Mobility in soil** *No further relevant information available.*

(Contd. on page 5)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 28.01.2014

Version number 1

Revision: 28.01.2014

**Trade name: Contacta Professional**

(Contd. of page 4)

**Additional ecological information:****General notes:**

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water  
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

**SECTION 13: Disposal considerations****13.1 Waste treatment methods****Recommendation**

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

**European waste catalogue**

08 04 09*	waste adhesives and sealants containing organic solvents or other dangerous substances
15 01 10*	packaging containing residues of or contaminated by dangerous substances

**Uncleaned packaging:**

**Recommendation:** Disposal must be made according to official regulations.

**SECTION 14: Transport information****14.1 UN-Number**

ADR, IMDG, IATA

UN1133

**14.2 UN proper shipping name**

ADR

1133 ADHESIVES

IMDG, IATA

ADHESIVES

**14.3 Transport hazard class(es)**

ADR



Class

3 (F1) Flammable liquids.

Label

3

IMDG, IATA



Class

3 Flammable liquids.

Label

3

**14.4 Packing group**

ADR, IMDG, IATA

III

**14.5 Environmental hazards:****Marine pollutant:**

No

**14.6 Special precautions for user**

Warning: Flammable liquids.

**Danger code (Kemler):**

30

**EMS Number:**

F-E,S-D

**14.7 Transport in bulk according to Annex II of**

MARPOL 73/78 and the IBC Code

Not applicable.

(Contd. on page 6)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 28.01.2014

Version number 1

Revision: 28.01.2014

**Trade name: Contacta Professional**

(Contd. of page 5)

**Transport/Additional information:****ADR**

<b>Limited quantities (LQ)</b>	5L
<b>Transport category</b>	3
<b>Tunnel restriction code</b>	D/E

<b>UN "Model Regulation":</b>	UN1133, ADHESIVES, 3, III
-------------------------------	---------------------------

**SECTION 15: Regulatory information****15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.**SECTION 16: Other information**

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.*

**Relevant phrases**

H226 Flammable liquid and vapour.

H336 May cause drowsiness or dizziness.

R10 Flammable.

R66 Repeated exposure may cause skin dryness or cracking.

R67 Vapours may cause drowsiness and dizziness.

**Department issuing MSDS:** Abteilung Produktsicherheit**Contact:** Hr. Dr. Pohle**Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organization

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

**\* Data compared to the previous version altered.**